REFLEX[™] - Grade I4



INDEPENDENCETM - Grade 12

			IND394 ADOBE WHITE	IND602 OATMEAL	IND384 SAND	IND603 LARK	IND604 CONCRETE
IND381 MOCHA			INDI3 TAUPE	INDI 5 CORNSILK	IND610 SABLE	IND611 TERRA COTTA	IND375 CHESTNUT
IND415 MAUVE	IND613 ORANGE KIST	IND614 SALSA	IND360 AMERICAN BEAUTY	IND370 PAPRIKA	IND615 BERRY	IND29 RUBY	IND357 Claret
IND363 PORT	IND364 BURGUNDY	IND03 PURPLE GREY	IND618 AUBERGINE	IND393 BLACK	IND352 MIDNIGHT BLUE	IND432 IMPERIAL BLUE	IND345 REGIMENTAL BLUE
IND576 DEEP PHOENICIAN	IND354 ROYAL	IND353 SPACE BLUE	IND427 BLUERIDGE	IND26 SLATE BLUE	IND628 SEA	IND620 PEACOCK	IND426 GROTTO
IND05 AQUA DARK	IND344 FOREST	IND350 YEW GREEN	IND625 CYPRESS	IND626 EUCALYPTUS	IND623 SAGE	ind624 granny smith	
IND605 CHARCOAL	IND392 GUNMETAL	IND07 AQUA GREY	IND413 DOVE				

2

SILVERTEX[®] - Grade 13



STX802 LAGOON STX803 TURQUOISE

WHISPER[™] - Grade II

******		Grader					
					Sec. 18		14
			WHIII7 BONE	WHII56 PUTTY	WHII57 FOG	WHII34 PATINA	WHII54 PEWTER
WHII50 FAWN			WHII58 CUCUMBER	WHII59 ZEST	WHII60 SASSAFRAS	WHII29 FOREST	WHII6I MALLARD
WHI141	WHIII9	WHII38	WHII20	WHII62	WHII63	WHII36	WHII37
CASHEW	GRAVEL	ELEPHANT	ANTELOPE	PARADISE	INDIGO	CERULEAN	NAVY
WHII18 CAMEL	WHII42 COGNAC	WHII23 LUGGAGE	WHII25 CINNAMON	WHII64 CAROTENE	WHII65 MOLTEN	WHII24 SALSA	WHII26 BORDEAUX
WHII2I CAPPUCCINO	WHII5I OCHRE	WHII52 MAHOGANY	WHII53 TRUFFLE	WHII66 BRICK RED	WHII27 MERLOT	WHII44 SANGRE	WHI143 ESPRESSO
WHII55	WHII39	WHII40					

WHII55 STORM

CHARCOAL

BLACK

	Independence	Reflex	Silvertex	Whisper
Content / Abrasion				
Vinyl		•	•	
Urethane Topcoat	•	•		•
Polyester / Cotton				
Hi-Loft ² ™ Backing		•	•	•
Abrasion - CFFA I-a, ASTM D-4157 Wyzenbeek #10 Cotton Duck	100к	100к	100к	100к
Codes				
Boston Fire Code - BFD IX-I	•		•	
Federal Aviation Spec FAR 25.853(a) Appendix F. Part I (a)(I)(ii)	•	•	•	
Federal St. 191A M 5903.1	•		•	
Port Authorities of NY and NJ	•	•	*	
UFAC - Class I		*	×	•
IMO FTP 2010 Code MSC. 307(88)Part 8, 3.1 & 3.2			•	•
NFPA 260 - Class I				
FMVSS 302	•		•	
California T.B. 117- 2013		•	•	•
Finishes & Treatments				
PBG+'PERMABUAK?"		۲		
PERMABLOK ^{3®} Advanced VINTL PROTECTION	•	•	•	
Ag SILVERGUARD		× 1		
Napa Finish				
Antibacterial	÷			
Antifungal		•		
Mildew Resistant			(a)/	
Stain Resistant		•	•	
UV Stabilized Pigments (1,000 hours)	٠	1 .).		•
Cold Crack	-20°F	-20°F	-10°F	-20°F

This term and any corresponding data refer to the typical performance in the specific tests indicated and should not be construed to imply the behavior of this or any other material under actual fire conditions.

Our vinyls, when tested with suitable component materials, may comply with California Technical Bulletin 133 and Boston Fire Code - Test BFD IX-I.

All Spradling USA's vinyl- and PU-coated fabrics contain flame retardant additives.



This fabric meets or exceeds these ACT performance guidelines. *Certification Marks owned by ACT*



MTS SEATING 7100 Industrial Drive Temperance, MI 48182 734.847.3875

MTSSEATING.COM



Common stains: baby oil, ketchup, chocolate, motor oil, olive oil, tea, coffee Use a clean dry cloth to remove the residue, careful not to spread to surrounding areas

Use a clean dry cloth to remove the residue, careful not to spread to surrounding areas. With a clean area of the cloth, wipe the spot again more vigorously, to clean off any remaining residue. If a stain is still visible, proceed to step 2.

Common stains: eye shadow, crayon, grease, permanent felt tip marker, mustard, lipstick, ballpoint pen

Use a straight application of concentrated Formula 409[®] or Fantastik[®]. Wipe with a soft clean cloth, rinse with clean water and dry. If stain persists, proceed to step 3.

More difficult stains

STEP

2

STEP

STEP

STEP

N

STEP

ω

STEP

Use a cotton cloth soaked in 91% isopropyl (rubbing) alcohol. Wipe carefully to remove residue without spreading to surrounding areas. With a clean area of the cloth, rub the spot vigorously in a circular motion. For highly textured material, use a soft toothbrush to clean valleys and crevices. Wipe with a soft clean cloth, rinse with clean water and dry.

*Please note that PBG+[®] is not "stain proof" and indelible inks, particularly those containing certain dyes used in permanent felt tip markers, can leave a shadow if cleaning is delayed beyond 24 hours. Results are best when cleaned within the first 24 hours of staining.

PERMABLOK3[®] Care and Cleaning Guide

Common stains: eye shadow, mascara, grease, black felt tip pen, crayon, chocolate, suntan lotion, and hair/body oils*

Remove excess spill with a damp cloth. Use a 1:1 mix of Ivory[®] liquid soap and water. Rub gently with a soft clean cloth, rinse with clean water and dry.

Common stains: red lipstick

Use a straight application of concentrated cleaners such as Formula 409[®] or Fantastik[®] spray cleaner. Rub gently with a soft clean cloth, rinse with clean water and dry.

Common stains: blood, urine, feces, and oil-based paint

Use a 1:1 mix of ammonia and water, or a 1:10 mix of bleach and water. Rub gently with a soft clean cloth, rinse with clean water and dry.

All other tough stains

Use a cotton cloth saturated in a 1:1 mix of isopropyl alcohol and water. Rub gently in a circular motion 10 times. Pat dry and check the results. If the stain persists, use straight alcohol and rub the stain again using the circular motion. Rinse thoroughly with clean water and pat dry.

*Must be cleaned after each instance of exposure to hair and body oils.

The information published in this care guide refers to the performance of *PERMABLOK3®* products in specific tests conducted under laboratory conditions. Results may vary under actual conditions.

This information is not a guarantee and does not relieve the user from the responsibility of the proper and safe use of the product and all cleaning agents.

The use of certain agents can be harmful to the surface appearance and lifespan of vinyl. Spradling, its agents, and assigns assume no responsibility resulting from the use of such cleaning agents to the vinyl.

Certain clothing and accessory dyes (such as those used on denim jeans) may migrate to lighter colors. This phenomenon is increased by humidity and temperature and is irreversible. Spradling USA will not assume responsibility for dye transfer caused by external contaminants. Please check compatibility when using this product in combination with painted or varnished surfaces.

PERMABLOK^{3®} is a registered trademark of Spradling Holdings, Inc.

PERMAGUARD[®] is a registered trademark of Spradling Holdings, Inc.

PBG+[®] is a registered trademark of Spradling Holdings, Inc.

Silvertex[®] is a registered trademark of Spradling Holdings, Inc.

Formula 409[®] is a registered trademark of The Clorox Company.

Fantastik[®] is a registered trademark of S.C. Johnson & Son, Inc.

Ivory[®] is a registered trademark of The Procter and Gamble Company.

Spradling USA is not sponsored by, affiliated with, or endorsed by such trademark owners. Additionally, any use by Spradling USA of any third-party trademark does not constitute any endorsement by Spradling USA of such third party.





Some products may contain chemicals, identified by the State of California as a cause of cancer, birth defects or other reproductive harm at certain exposure levels. Under the California law known as "Prop 65," certain warnings to consumers in California are required where such products are sold. The presence of such chemicals in coated fabric products, even at extremely low concentrations, can lead to disputes over Prop 65 warning obligations that are very difficult to resolve. If your company intends to introduce Sprading viny products into commerce in California, granuling recommends that you take steps to confirm whether the warning requirements of California, Sprading viny of the products in question and whether your company is complying with those warning requirements for the chemicals contained within these products.

